

MSDS Version: E03.02 Date of issue: 21/04/2015 Blend Version: 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Viscotene (Aerosol)

Product code : W80179

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wynn's Belgium Industriepark-West 46 9100 Sint-Niklaas - Belgium T +32 3 766 60 20 - F +32 3 778 16 56 msds@wynns.eu - www.wynns.be

1.4. Emergency telephone number

Emergency number : BIG: +32(0)14/58.45.45

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Aerosol 1
 H222;H229

 Eye Irrit. 2
 H319

 STOT SE 3
 H336

 Aquatic Chronic 2
 H411

Full text of H-statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+; R12 N; R51/53 R66 R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary statements (CLP) : P261 - Avoid breathing vapours, spray

P280 - Wear protective gloves, eye protection P271 - Use only outdoors or in a well-ventilated area

Safety Data Sheet

according to Regulation (EC) No. 453/2010

P102 - Keep out of reach of children

 ${\tt P210}$ - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	% w	Classification according to Directive 67/548/EEC
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	(EC no) 920-750-0 (REACH-no) 01-2119473851-33	25 - 50	F; R11 N; R51/53 Xn; R65 R66 R67
Propane	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5 (REACH-no) 01-2119486944-21	10 - 25	F+; R12
Butane n-	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0 (REACH-no) 01-2119474691-32	10 - 25	F+; R12
Poly[oxy(methyl-1,2-ethanediyl)], a-butyl- ω -hydroxy-	(CAS No) 9003-13-8 (EC no) 500-003-1 (REACH-no) 01-2119492302-43	1 - 2,5	Xn; R22 Xi; R36/38
Phosphoric acid, isotridecyl ester	(CAS No) 52933-07-0 (EC no) 258-261-3	1 - 2,5	Xi; R41
	(
Name	Product identifier	% w	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Name hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	,	% w 25 - 50	to Regulation (EC) No.
	Product identifier (EC no) 920-750-0		to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	Product identifier (EC no) 920-750-0 (REACH-no) 01-2119473851-33 (CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	25 - 50	to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Propane	Product identifier (EC no) 920-750-0 (REACH-no) 01-2119473851-33 (CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5 (REACH-no) 01-2119486944-21 (CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0	25 - 50 10 - 25	to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Flam. Gas 1, H220

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid physical strain. If necessary seek medical advice.

06/07/2015 EN (English) 2/8

First-aid measures after indestion

Safety Data Sheet

according to Regulation (EC) No. 453/2010

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. Irritating to eyes.

quantities will be swallowed.

Symptoms/injuries after inhalation : Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. Nausea. May cause respiratory irritation.

: Repeated exposure may cause skin dryness or cracking.

: Causes serious eye irritation. Symptoms/injuries after eye contact

Indication of any immediate medical attention and special treatment needed

No additional information available

Symptoms/injuries after skin contact

SECTION 5: Firefighting measures

Extinguishing media 5.1.

Suitable extinguishing media : Water spray. AFFF foam. ABC-powder. : Do not use a heavy water stream. Unsuitable extinguishing media

Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Heating may cause a fire or explosion.

Explosion hazard : No direct explosion hazard. Contains gas under pressure; may explode if heated.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Physical explosion risk: extinguish/cool from behind cover. Prevent fire-fighting water from entering

environment.

: Rinse mouth, Do NOT induce vomiting, Call a POISON CENTER or doctor/physician if you feel unwell. As it is a spray can packaging it is most unlikely that large

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection. protective clothing. Large spills/in enclosed spaces: compressed air apparatus.

Emergency procedures : Mark the danger area. Stop engines and no smoking. Close doors and windows of adjacent premises. Seal off low-lying areas. Exposure to fire/heat: keep upwind. Use spark-/explosionproof appliances and lighting system. Mechanically ventilate the spillage area. No naked flames, sparks, and do not smoke. Wash contaminated

clothes.

6.1.2. For emergency responders

: Equip cleanup crew with proper protection. Protective equipment

Emergency procedures : Ventilate area.

6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and

shovel into container for disposal. Scoop absorbed substance into closing containers. Wash clothing and equipment after handling. This material and its container must be disposed of in a safe way, and as per local legislation.

06/07/2015 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Meets the legal requirements. Keep away from naked flames/heat. Keep away from

sources of ignition - No smoking. Use spark-/explosionproof appliances and lighting

system. Use only outdoors or in a well-ventilated area.

Hygiene measures : Use good personal hygiene practices. IF ON SKIN: Wash with plenty of soap and

water. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Storage temperature : ≤ 45 °C

Heat and ignition sources : Keep away from sources of ignition - No smoking.

Prohibitions on mixed storage : Keep away from strong acids and strong oxidizers.

Storage area : Fireproof storeroom. Meets the legal requirements. Protect from heat and direct

sunlight. Store in a dry place. Keep container tightly closed in a cool, well-

ventilated place. Ventilation along the floor.

Special rules on packaging : Meets the legal requirements. correctly labelled.
Packaging materials : Pressurised small gas containers (aerosol cans).

7.3. Specific end use(s)

See product bulletin for detailed information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Viscotene (Aerosol)

 EU
 IOELV TWA (mg/m³)
 221 mg/m³

 EU
 IOELV TWA (ppm)
 50 ppm

 EU
 IOELV STEL (mg/m³)
 442 mg/m³

 EU
 IOELV STEL (ppm)
 100 ppm

 EU
 Notes
 Xyleen

Propane (74-98-6)

Belgium Limit value (ppm) 1000 ppm

Butane n- (106-97-8)

Belgium Limit value (ppm) 1000 ppm

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Does not require any specific or particular technical measures. Provide good ventilation in process area to prevent

formation of vapour.

Personal protective equipment : Safety glasses. Gloves.



Hand protection : Neoprene. Nitrile rubber. Choosing the proper glove is a decision that depends not

only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer.

Other information : Breakthrough time : >30'. Thickness of the glove material >0.1 mm.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aerosol.
Colour : No data available

06/07/2015 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Odour : characteristic.
Odour threshold : No data available

pH :

Relative evaporation rate : No data available

(butylacetate=1)

refraction index

Melting point : No data available
Freezing point : No data available
Boiling point : 100 - 227 °C
Flash point : < 0 °C
Auto-ignition temperature : 250 °C

Decomposition temperature : No data available Flammability (solid, gas) : No data available

Vapour pressure : 8530 hPa

Relative vapour density at 20 °C : No data available Relative density : No data available Density @20°C : 824 kg/m³

Solubility : Insoluble in water.

Log Pow : No data available

Log Kow : No data available

Viscosity, kinematic @40°C : No data available

Viscosity, dynamic @40°C : No data available

Viscosity : Viscosity Index :

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

Additional information : Physical and chemical properties of the active product without gas. The physical

and chemical data in this section are typical values for this product and are not intended as product specifications.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions. Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

10.3. Possibility of hazardous reactions

Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep away from strong acids and strong oxidizers.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Poly[oxy(methyl-1,2-ethanediyl)], α -butyl- ω -hydroxy- (9003-13-8)

ATE CLP (oral) 500,000 mg/kg bodyweight

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

06/07/2015 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: May have a narcotic effect at high concentrations.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available. This product contains hazardous components for the aquatic

environment.

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions.

Waste disposal recommendations : Container under pressure. Do not drill or burn even after use. Remove to an

authorized waste treatment plant. Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

Class (ADR) : 2
Subsidiary risk (IMDG) : 2.1
Subsidiary risk (IATA) : 2.1
Danger labels (ADR) : 2.1



14.4. Packing group

Not applicable

06/07/2015 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.5. Environmental hazards

Dangerous for the environment



Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Transport category (ADR) : 2
Tunnel restriction code (ADR) : D
Limited quantities (ADR) : 1

14.6.2. Transport by sea

EmS-No. (1) : F-D, S-U

14.6.3. Air transport

Instruction "cargo" (ICAO) : 203 Instruction "passenger" (ICAO) : 203/Y203

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Viscotene (Aerosol) is not on the REACH Candidate List Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Water hazard class (WGK) : 2 - hazard to waters

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4

Aerosol 1 Aerosol, Category 1

Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard,

Category 2

Asp. Tox. 1 Aspiration hazard, Category 1

Eye Dam. 1 Serious eye damage/eye irritation, Category 1
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2

Flam. Gas 1 Flammable gases, Category 1
Flam. Liq. 2 Flammable liquids, Category 2
Skin Irrit. 2 Skin corrosion/irritation, Category 2

STOT SE 3 Specific target organ toxicity — Single exposure, Category 3,

Narcosis

H220 Extremely flammable gas
H222 Extremely flammable aerosol
H225 Highly flammable liquid and vapour

06/07/2015 EN (English) 7/8

Viscotene (Aerosol) Safety Data Sheet according to Regulation (EC) No. 453/2010

 g(),	
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
R11	Highly flammable
R12	Extremely flammable
R22	Harmful if swallowed
R36/38	Irritating to eyes and skin
R41	Risk of serious damage to eyes
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
F+	Extremely flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

06/07/2015 EN (English) 8/8